

COMMERCIAL LED LIGHTING

# PRODUCT REFERENCE GUIDE

100 E. Crossroads Pkwy. Ste. C  
Bolingbrook, IL 60440  
630-793-9449  
[www.gkoled.com](http://www.gkoled.com)

Version 1 - 2025

# We are a customer focused, Chicago based LED lighting wholesaler providing high-quality lighting, designed and manufactured by industry experts.

## HIGH QUALITY PRODUCT

Our products are manufactured using top-of-the-line components, and are UL and DLC Listed. They undergo strict quality control and are lab-tested and approved, ensuring you receive the highest quality product.

## EXTENSIVE CHICAGO STOCK

With our headquarters and extensive stock conveniently located near Chicago, GKOLED products are always within reach. We also carry a wide variety of mounting options and accessories such as motion sensors and photocells, so we can meet all of our customers' needs.

## 5 OR 10 YEAR LIMITED WARRANTY

All GKOLED Products are covered by a 5-year or 10-year limited warranty, as indicated. Our claim process is quick and simple - if there is an issue with one of our products, we will make it right.

## GREAT CUSTOMER SERVICE

We pride ourselves on our team's desire to go the extra mile for our customers and our ability to create unique solutions for customers with complicated projects. We also know your time is valuable, so we ensure quick turnaround times for all quotes and inquiries.

## FREE SHIPPING

We appreciate your business, so on orders over \$1000, we offer our customers free shipping anywhere in the United States (some product exclusions apply). Additionally, our sales representatives keep track of your shipment every step of the way. If you have questions, we will get you an update ASAP.

## ENERGY-EFFICIENT & REBATE COMPLIANT

In addition to energy savings provided by the efficiency of our LED products, GKOLED light fixtures are designed to meet the requirements of many national energy rebate programs.

# TABLE OF CONTENTS

## INDOOR FIXTURES

<b>High Bays</b>	<b>1-3</b>
GKOMLHG4 / GKOMLHG6 / GKOMLHG7 / GKOHB04 GKOHB05 / GKOHB06 / GKOHBG8	
<b>Canopy Lights</b>	<b>3</b>
GKOCP03 / GKOCP05 / GKOCPG7	
<b>LED Panels</b>	<b>4</b>
GKOPLG2	
<b>LED Troffers</b>	<b>4</b>
GKOTRG1	
<b>Architectural</b>	<b>5</b>
GKOARLG1 / GKOARCG1	
<b>Linear Fixtures</b>	<b>5</b>
GKOLFG2	
<b>Vapor Tight</b>	<b>5</b>
GKOVTG4	

## OUTDOOR FIXTURES

<b>Area Lights</b>	<b>6</b>
GKOALG5 / GKOALG8 / GKOALG6	
<b>Roadway Lights</b>	<b>6</b>
GKORLG2	
<b>Flood Lights</b>	<b>6-7</b>
GKOFDG9 / GKOFD08 / GKOFDG11 / GKOFD03 / GKOFRO1	
<b>Wall Packs</b>	<b>7-8</b>
GKOWP08 / GKOWPG2 / GKOWPG3 / GKOWPG15 / GKOWM01	
<b>Dusk To Dawn</b>	<b>8</b>
GKODDG5	
<b>Post Top Lights</b>	<b>8</b>
GKOPTG1 / GKOPTG4	
<b>Bollard Lights</b>	<b>9</b>
GKOBL01	
<b>Sports Lights</b>	<b>9</b>
GKOSLG2	



# Indoor

## High Bays



Networked Controls














**POWER TUNABLE**



40% 60% 80% 100%

**CCT TUNABLE**

40K 50K

	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty	
	GKOMLHG4 	GKOMLHG490W27V50KCD	90W	---	12,600 lm	5000K 4000K*	80	---	120-277V 347-480V*	1' x 2'		Damp Location	(3) F54T5 (4) F32T8 250W HID	Steel Mounting Cable (Included)			
		GKOMLHG4130W27V50KCD	130W		18,500 lm								(4) F54T5 (6) F32T8 400W HID				
		GKOMLHG4B130W27V50KCD	130W		18,500 lm								(4) F54T5 (6) F32T8 400W HID				
		GKOMLHG4180W27V50KCD	180W		25,200 lm								(6) F54T5 (8) F32T8 500W HID				
		GKOMLHG4210W27V50KCD	210W		29,000 lm								(8) F54T5 (10) F32T8				
		GKOMLHG4L130W27V50KCD	130W		18,500 lm								4) F54T5 (6) F32T8 400W HID				Steel Mounting Cable (Included) Pendant* Hanger
		GKOMLHG4L180W27V50KCD	180W		24,000 lm								(6) F54T5 (8) F32T8 500W HID				
		GKOMLHG4L210W27V50KCD	210W		29,000 lm								(8) F54T5 (10) F32T8				
		GKOMLHG4270W27V50KCD	270W		37,000 lm								(12) F54T5 (14) F32T8				
		GKOMLHG4300W27V50KCD	300W		41,500 lm								(16) F54T5 (18) F32T8 1,000W HID				
GKOMLHG4370W27V50KCD	370W	50,500 lm	(20) F54T5 (24) F32T8														
	GKOMLHG6   	GKOMLHG690W27V50KPD	90W	---	12,500 lm	5000K 4000K*	80	---	120-277V 347-480V*	1' x 1'		Damp Location	(3) F54T5 (4) F32T8 250W HID	Steel Mounting Cable (Included) Pendant* Hanger	Motion* Sensor Battery* Backup Wire Guard*	5 Years	
		GKOMLHG6130W27V50KPD	130W		17,600 lm								(4) F54T5 (6) F32T8 400W HID				
		GKOMLHG6175W27V50KPD	175W		23,500 lm								(6) F54T5 (8) F32T8				
		GKOMLHG6210W27V50KPD	210W		30,500 lm								(8) F54T5 (10) F32T8				
		GKOMLHG6270W27V50KPD	270W		38,000 lm								(12) F54T5 (14) F32T8				
		GKOMLHG6300W27V50KPD	300W		40,000 lm								(16) F54T5 (18) F32T8				
		GKOMLHG6210W27V50KPD	210W		Power & CCT								30,500 lm				(8) F54T5 (10) F32T8




	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty										
   	<b>GKOMLHG7</b>   	GKOMLHG7130W27VDDKWPD	130W	Power & CCT	18,500 lm	5000K 4000K*	80	---	120-277V	10" x 14"		Damp Location	(4) F54T5 (6) F32T8 400W HID	Steel Mounting Cable (Included) Pendant* Hanger Surface* Mounting Brackets	Motion* Sensor Battery* Backup Wire Guard*	5 Years										
		GKOMLHG7160W27VDDKWPD	160W		24,100 lm					11" x 18"			(6) F54T5 (8) F32T8													
		GKOMLHG7205W27VDDKWPD	205W		30,500 lm					11" x 18"			(8) F54T5 (12) F32T8													
		GKOMLHG7250W27VDDKWPD	250W		36,100 lm					11" x 27"			(12) F54T5 (18) F32T8													
		GKOMLHG7300W27VDDKWPD	300W		42,000 lm					11" x 27"			(18) F54T5 (20) F32T8													
		GKOMLHG7410W27VDDKWPD	410W		60,600 lm					11" x 36"			(22) F54T5 (26) F32T8													
		GKOMLHG778W27VDDKWPD	78W	12,100 lm	10" x 14"					CCT			5000K 4000K*				80	---	120-277V	10" x 14"		Damp Location	(4) F54T5 (6) F32T8 400W HID	Steel Mounting Cable (Included) Pendant* Hanger Surface* Mounting Brackets	Motion* Sensor Battery* Backup Wire Guard*	5 Years
		GKOMLHG796W27VDDKWPD	96W	15,500 lm	11" x 18"															(6) F54T5 (8) F32T8						
		GKOMLHG7104W27VDDKWPD	104W	15,200 lm	11" x 18"																					
		GKOMLHG7123W27VDDKWPD	123W	19,500 lm	11" x 18"																					
		GKOMLHG7128W27VDDKWPD	128W	20,000 lm	11" x 18"																					
		GKOMLHG7150W27VDDKWPD	150W	24,000 lm	11" x 27"																					
		GKOMLHG7164W27VDDKWPD	164W	25,000 lm	11" x 18"																					
		GKOMLHG7180W27VDDKWPD	180W	28,000 lm	11" x 27"																					
		GKOMLHG7200W27VDDKWPD	200W	30,200 lm	11" x 27"																					
		GKOMLHG7240W27VDDKWPD	240W	36,000 lm	11" x 27"																					
		GKOMLHG7246W27VDDKWPD	246W	38,400 lm	11" x 36"																					
		GKOMLHG7328W27VDDKWPD	328W	50,000 lm	11" x 36"																					
	GKOHB04	GKOHB04135W27V50KD	135W	---	19,400 lm	5000K 4000K*	70	---	120-277V 347-480V*	15.35"		Wet Location	250W MH	Hook & Pendant (Included)	Motion* Sensor Battery* Backup Aluminum* Reflector	5 Years										
		GKOHB04175W27V50KD	175W		25,600 lm								320W MH													
		GKOHB04200W27V50KD	200W		29,800 lm								400W MH													
	GKOHB05 Version 2	GKOHB05350W27V50KDAD	350W	Power	62,000 lm	5000K 4000K*	70	---	120-277V 347-480V*	24.25"		Wet Location	750W MH	Hook & Pendant (Included)	Motion* Sensor	5 Years										
		GKOHB05410W27V50KDAD	410W		72,000 lm								1,000W MH													

	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Diameter	DLC	UL	Replaces	Mounting	Accessories	Warranty
	GKOHBO6 Bluetooth POWER TUNABLE CCT TUNABLE	GKOHBO667W27V50KB	67W	---	9,100 lm	5000K 4000K*	80	---	120-277V	13.03"	DLC LISTED	Wet Location	175W MH	Hook & Pendant (Included) Adjustable Surface Mounting Bracket	Motion* Sensor Battery* Backup	5 Years
		GKOHBO6140W27V50KB	140W		17,500 lm				120-277V				250W MH			
		GKOHBO6180W27V50KB	180W		25,000 lm				347-480V*	400W MH						
		GKOHBO6215W27V50KB	215W		30,000 lm				400W MH							
		GKOHBO697W27VDDKB	97W	14,000 lm	120-277V				250W MH							
		GKOHBO6215W27VDDKB	215W	30,500 lm					400W MH							
	GKOHBG8 Bluetooth POWER TUNABLE CCT TUNABLE	GKOHBG8100W27VDDKBAD2	100W	Power & CCT	16,000 lm	5000K 4000K	70	---	120-277V	10.7"	DLC LISTED PREMIUM	Wet Location	250W MH	Hook & Pendant (Included) Adjustable* Surface Mounting Bracket	Motion* Sensor Battery* Backup	5 Years
		GKOHBG8150W27VDDKBAD2	150W		24,000 lm								250W MH			
		GKOHBG8210W27VDDKBAD2	210W		30,000 lm								400W MH			
		GKOHBG8230W27VDDKBAD2	230W		35,000 lm								750W MH			
		GKOHBG860W27VDDKB2	60W	CCT	10,000 lm					10.7"			250W MH			
		GKOHBG880W27VDDKB2	80W		13,000 lm								250W MH			
		GKOHBG890W27VDDKB2	90W		15,500 lm								250W MH			
		GKOHBG8120W27VDDKB2	120W		20,000 lm								250W MH			
		GKOHBG8138W27VDDKB2	138W		24,000 lm								250W MH			
		GKOHBG8184W27VDDKB2	184W		29,000 lm								750W MH			

## Canopy Lights

**POWER TUNABLE**  
40% 60% 80% 100%

**CCT TUNABLE**  
40K 50K

	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	GKOCPO3 POWER TUNABLE CCT TUNABLE	GKOCPO330W27V50KWDPG	30W	---	4,000 lm	5000K 4000K*	70	Parking Garage	120-277V 347V*	12"	DLC LISTED PREMIUM	Wet Location	100W MH	Quick Mount Plate (Included)	Motion* Sensor Battery* Backup	5 Years
		GKOCPO345W27V50KWDPG	45W		5,700 lm								100W MH			
		GKOCPO360W27V50KWDPG	60W		7,500 lm								175W MH			
		GKOCPO390W27V50KWDPG	90W		12,300 lm								250W MH			
		GKOCPO360W27VDDKWPGAD	60W	Power & CCT	7,700 lm					12"			175W MH			
	GKOCPO5	GKOCPO527W27V50KDD	27W	---	3,800 lm	5000K 4000K*	70	Parking Garage	120-277V	---	DLC LISTED PREMIUM	Wet Location	100W MH	Quick Mount Plate (Included)	Motion* Sensor Battery* Backup	5 Years
		GKOCPO540W27V50KDD	40W		5,450 lm								175W MH			
		GKOCPO560W27V50KDD	60W		8,000 lm								250W MH			
	GKOCPG7 POWER TUNABLE CCT TUNABLE	GKOCPG760W27VDDKDAD	60W	Power & CCT	8,000 lm	5000K 4000K 3000K	70	Parking Garage	120-277V 120-347V*	Small	DLC LISTED PREMIUM	Wet Location	250W MH	Quick Mount Plate (Included)	Photocell* Integrated* Photocell Microwave* Motion Sensor	5 Years
		GKOCPG7110W27VDDKDAD	110W		16,500 lm					Large			400W MH			

# LED Panels



Networked Controls

POWER TUNABLE

LV3 LV2 LV1

CCT TUNABLE

35K 40K 50K

Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
<b>GKOPLG2</b> 	GKOPLG222B20W27VPC**	20W	CCT	2,660 lm	5000K 4000K 3500K	83	---	120-277V	2' x 2'		Damp Location		Recessed Mounting Surface Mount Kit* Suspension Kit*	Motion* Sensor Battery* Backup	5 Years
	GKOPLG222B25W27VPC**	25W		3,225 lm		83									
	GKOPLG222B30W27VPC	30W	Power & CCT	3,750 lm		83									
	GKOPLG214B25W27VPC**	25W	CCT	3,325 lm		82			1' x 4'						
	GKOPLG214B30W27VPC**	30W		3,870 lm		82									
	GKOPLG214B40W27VPC	40W	Power & CCT	5,000 lm		82									
	GKOPLG224B25W27VPC**	25W	CCT	3,300 lm		83			2' x 4'						
	GKOPLG224B30W27VPC**	30W		3,840 lm		83									
	GKOPLG224B40W27VPC**	40W	Power & CCT	4,960 lm		83									

# LED Troffers



Networked Controls

POWER TUNABLE

LV3 LV2 LV1

CCT TUNABLE





35K 40K 50K

Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
<b>GKOTRG1</b> 	GKOTRG122D20W27VDDK	20W	CCT	2,800 lm	5000K 4000K 3500K	83	---	120-277V	2' x 2'		Damp Location		Recessed Mounting Surface Mount Kit*	Motion* Sensor Battery* Backup	5 Years
	GKOTRG122D25W27VDDK	25W		3,375 lm		83									
	GKOTRG122D30W27VDDK	30W	Power & CCT	3,900 lm		83									
	GKOTRG122D30W27VDDK	30W	CCT	3,900 lm		80			2' x 2'						
	GKOTRG122D35W27VDDK	35W		4,620 lm		82									
	GKOTRG122D40W27VDDK	40W	Power & CCT	5,200 lm		82									
	GKOTRG114D20W27VDDK	20W	CCT	2,600 lm		84			1' x 4'						
	GKOTRG114D25W27VDDK	25W		3,250 lm		84									
	GKOTRG114D30W27VDDK	30W	Power & CCT	3,900 lm		82									
	GKOTRG124D25W27VDDK	25W	CCT	3,400 lm		82			2' x 4'						
	GKOTRG124D30W27VDDK	30W		3,990 lm		82									
	GKOTRG124D34W27VDDK	35W	Power & CCT	4,550 lm		82									
	GKOTRG124D35W27VDDK	34W	CCT	4,760 lm		83			2' x 4'						
	GKOTRG124D38W27VDDK	38W		5,130 lm		83									
GKOTRG124D45W27VDDK	45W	Power & CCT	5,850 lm	83											

# Architectural

**POWER TUNABLE**  
LV3 LV2 LV1


**CCT TUNABLE**  
27K 30K 35K 40K 50K

Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Mounting	Accessories	Warranty
 <b>GKOARLG1</b> POWER TUNABLE CCT TUNABLE	GKOARLG12F20W27VDDKWAD	20W	Power & CCT	2,600 lm	5000K 4000K 3500K 3000K 2700K	80	---	120-277V	2'		Damp Location	Pendant* Mounting Surface* Mounting Wall* Mounting Recessed* Mounting	Motion* Sensor Battery* Backup	5 Years
	GKOARLG14F40W27VDDKWAD	40W		5,200 lm					4'					
	GKOARLG18F80W27VDDKWAD	80W		10,400 lm					8'					
 <b>GKOARCG1</b> POWER TUNABLE CCT TUNABLE	GKOARCG1315W27VDDKWYATSM	15W	Power & CCT	1,500 lm	5000K 4000K 3500K 3000K 2700K	90 80*	50° 36° 24° 18°	120-277V 120-347V*	3"		Damp Location	Surface* Mounting Cord* Pendant Mounting Stem* Pendant Mounting Adjustable* Surface Mounting	Multiple* Lens & Trim Options	5 Years
	GKOARCG1425W27VDDKWYATSM	25W		2,500 lm					4"					
	GKOARCG1640W27VDDKWYATSM	40W		4,000 lm					6"					

# Linear Fixtures

**POWER TUNABLE**  
40% 60% 80% 100%



**CCT TUNABLE**  
3K 4K 5K

Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
 <b>GKOLFG2</b> POWER TUNABLE CCT TUNABLE	GKOLFG223W27V50KF	23W	Power & CCT	3,000 lm	5000K 4000K*	80	---	120-277V	4'	---	Damp Location	T8	Steel Cable*	Motion* Sensor Battery Backup* Row* Connector	5 Years
	GKOLFG235W27V50KF	35W		4,700 lm								(2) T8			
	GKOLFG245W27V50KF	45W		6,000 lm								(2) T5H0			
	GKOLFG235W27KDDKF	35W		4,700 lm								(2) T8			
	GKOLFG245W27VDDKF	45W		6,050 lm								(2) T5H0			

# Vapor Tight

**POWER TUNABLE**  
LV3 LV2 LV1

**CCT TUNABLE**  
35K 40K 50K

Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
 <b>GKOVGTG4</b> POWER TUNABLE CCT TUNABLE	GKOVGTG450W27VDDKGF	50W	Power & CCT	6,800 lm	5000K 4000K 3500K	80	---	120-277V	4'		Wet Location	175W MH	Surface Mounting Bracket 11.8 Inch* Chain 9.8 Foot* Cable	Motion* Sensor Battery* Backup	5 Years
	GKOVGTG490W27VDDKGF	90W		13,000 lm					8'			250W MH			

# Outdoor

## Area Lights



Networked Controls

POWER TUNABLE

40% 60% 80% 100%

CCT TUNABLE

3K 4K 5K

	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	GKOALG5	GKOALG5100W27V50KDSQT3	100W	---	14,100 lm	5000K 4000K*	70	Type III Type IV* Type V*	120-277V 347-480V*	Small		Wet Location	250W MH	Pole Mount Adjustable Pole Mount Slipfitter Wall Mount Yoke Mount	Photocell* Motion Sensor Backlight Glare Shield	5 Years
		GKOALG5150W27V50KDSQT3	150W		21,000 lm					400W MH						
		GKOALG5180W27V50KDSQT3	180W		25,000 lm					400W MH						
		GKOALG5250W27V50KDSQT3	250W		35,000 lm					750W MH						
		GKOALG5300W27V50KDSQT3	300W		42,000 lm					1,000W MH						
	GKOALG8   	GKOALG8100W27VDDKDSQT3AD	100W	Power & CCT	14,500 lm	5000K 4000K 3000K	70	Type III Type IV* Type V*	120-277V 347-480V*	Medium		Wet Location	250W MH	Pole Mount Adjustable Pole Mount Slipfitter Wall Mount Yoke Mount	Photocell* Motion Sensor Backlight Glare Shield Full Glare Shield	5 Years
		GKOALG8140W27VDDKDSQT3AD	140W		20,000 lm					400W MH						
		GKOALG8180W27VDDKDSQT3AD	180W		24,000 lm					400W MH						
		GKOALG8250W27VDDKDSQT3AD	250W		33,500 lm					750W MH						
		GKOALG8300W27VDDKDSQT3AD	300W		41,000 lm					1,000W MH						
	GKOALG6	GKOALG6100W27V50KDSQT3	100W	---	14,200 lm	5000K 4000K*	70	Type III Type IV* Type V*	120-277V 347-480V*	Medium		Wet Location	250W MH	Pole Mount Slipfitter Wall Mount	Photocell*	10 Years
		GKOALG6150W27V50KDSQT3	150W		21,200 lm					400W MH						
		GKOALG6200W27V50KDSQT3	200W		28,000 lm					400W MH						
		GKOALG6240W27V50KDSQT3	240W		34,000 lm					750W MH						
		GKOALG6300W27V50KDSQT3	300W		42,500 lm					1,000W MH						
		GKOALG6350W27V50KDSQT3	350W		50,000 lm					1,000W MH						

## Roadway Lights

	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	GKORLG2	GKORLG270W27V40KSGT3	70W	---	9,900 lm	5000K* 4000K	70	Type II* Type III Type IV*	120-277V 347-480V*	Small		Wet Location	250W MH	---	Photocell* Motion* Sensor	5 Years
		GKORLG2105W27V40KSGT3	105W		14,600 lm					320W MH						
		GKORLG2150W27V40KSGT3	150W		20,000 lm					400W MH						

## Flood Lights








POWER TUNABLE

40% 60% 80% 100%

CCT TUNABLE

3K 4K 5K






	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	GKOFDG9	GKOFDG9100W27V50KBDB77	100W	---	14,800 lm	5000K 4000K*	70	7Hx7V	120-277V 347-480V*	Medium		Wet Location	320W MH	Yoke Mount Slipfitter Wall Mount	Photocell*	10 Years
		GKOFDG9150W27V50KBDB77	150W		22,200 lm					400W MH						
		GKOFDG9200W27V50KBDB77	200W		28,800 lm					400W MH						
		GKOFDG9240W27V50KBDB77	240W		35,500 lm					750W MH						
		GKOFDG9300W27V50KBDB77	300W		43,700 lm					1,000W MH						
		GKOFDG9350W27V50KBDB77	350W		51,000 lm					1,000W MH						




	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	GKOFD08	GKOFD0815W27V50KDDB76KN	15W	---	2,000 lm	5000K 4000K*	70	7Hx6V	120-277V	X-Small		Wet Location	50W MH	Knuckle Trunnion	Photocell*	5 Years
		GKOFD0827W27V50KDDB76KN	27W		3,700 lm					100W MH						
		GKOFD0845W27V50KDDB76KN	45W		6,150 lm					175W MH						
		GKOFD0860W27V50KDDB76KN	60W		7,800 lm					250W MH						
		GKOFD0870W27V50KDDB76YK	70W		9,400 lm				120-277V 347-480V*	Medium			250W MH	Yoke Mount Slipfitter		
		GKOFD08100W27V50KDDB76YK	100W		13,500 lm					250W MH						
		GKOFD08135W27V50KDDB76YK	135W		18,500 lm					320W MH						
		GKOFD08200W27V50KDDB76YK	200W		27,000 lm					400W MH						
		GKOFD08350W27V50KDDB76TR	350W		50,000 lm					1,000W MH			Trunnion			
	GKOFDG11 	GKOFDG1115WDDKDB77	15W	Power & CCT	2,050 lm	5000K 4000K 3000K	70	7Hx7V	120-277V	Small		Wet Location	50W MH	Knuckle Trunnion	Photocell (Included)	5 Years
		GKOFDG1127WDDKDB77	27W		3,500 lm					100W MH						
		GKOFDG1140WDDKDB77	40W		5,700 lm					175W MH						
		GKOFDG1165WDDKDB77	65W		9,200 lm					250W MH						
		GKOFDG1190WDDKDB77	90W		13,400 lm					320W MH			Yoke Mount Slipfitter			
		GKOFDG11120WDDKDB77	120W		17,500 lm					400W MH						
	GKOFD03	GKOFD15W27V50KBDB77	15W	---	1,500 lm	5000K 4000K* 3000K*	70	7Hx7V	120-277V	Small	---	Wet Location	250W MH	Knuckle Trunnion	---	5 Years
		GKOFD30W27V50KBDB77	30W		3,000 lm					320W MH						
		GKOFD45W27V50KBDB77	45W		5,400 lm					320W MH						
	GKOFR01	GKOFR20W27V50KBDNFL	20W	---	2,500 lm	5000K	70	20°	120-277V	---	---	Wet Location	100W MH	Knuckle	---	5 Years
		GKOFR20W27V50KBDNFL	20W		2,500 lm			44°								
		GKOFR30W27V50KBDNFL	30W		3,350 lm			20°								
		GKOFR30W27V50KBDNFL	30W		3,350 lm			44°								

## Wall Packs


**POWER TUNABLE**  
40% 60% 80% 100%

**CCT TUNABLE**  
3K 4K 5K

	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	GKOWP08 	GKOWP0830W27V50KD	30W	---	3,500 lm	5000K 4000K*	70	---	120-277V	---		Wet Location	100W MH	---	Photocell*	5 Years
		GKOWP0840W27V50KD	40W		4,850 lm				175W MH							
		GKOWP0865W27V50KD	65W		7,900 lm				250W MH							
		GKOWP0890W27V50KD	90W		10,800 lm				320W MH							
		GKOWP08125W27V50KD	125W		15,400 lm				400W MH							
		GKOWP0865W27VDDKD	65W		7,900 lm				250W MH							
GKOWP08100W27VDDKD	100W	11,600 lm	400W MH													
	GKOWPG2	GKOWPG227W27V50KD	27W	---	4,100 lm	5000K 4000K*	70	---	120-277V	Small		Wet Location	100W MH	---	Photocell* Battery* Backup	5 Years
		GKOWPG245W27V50KD	45W		6,600 lm				175W MH							
		GKOWPG270W27V50KD	70W		9,900 lm				250W MH							
		GKOWPG290W27V50KD	90W		12,200 lm				320W MH							
		GKOWPG2135W27V50KD	135W		18,000 lm				400W MH							

	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	GKOWPG3 POWER TUNABLE CCT TUNABLE	GKOWPG370W27VDDKDAD	70W	Power & CCT	9,800 lm	5000K 4000K 3000K	70	---	120-277V	Small	DLC LISTED PREMIUM	Wet Location	250W MH	---	Photocell* Motion* Sensor Battery* Backup	5 Years
		GKOWPG3125W27VDDKDAD	125W		17,100 lm				120-277V				400W MH			
		GKOWPG3135W27VDDKDAD	135W		18,000 lm				120-277V 347-480V*	400W MH						
	GKOWPG15 POWER TUNABLE CCT TUNABLE	GKOWPG1526W27V50KD	26W	---	3,900 lm	5000K 4000K* 3000K*	70	---	120-277V	Small	---	Wet Location	100W MH	---	Photocell* Battery* Backup	5 Years
		GKOWPG1538W27V50KD	38W		5,800 lm				120-277V				175W MH			
		GKOWPG1565W27V50KD	65W		9,800 lm				120-277V 347-480V*				250W MH			
		GKOWPG15100W27V50KD	100W		15,000 lm				120-277V 347-480V*				320W MH			
		GKOWPG15135W27V50KD	135W	20,000 lm	Power & CCT				120-277V	400W MH						
		GKOWPG1538W27VDDKD	38W	5,600 lm					120-277V	175W MH						
		GKOWPG1565W27VDDKD	65W	9,500 lm					DLC LISTED PREMIUM	250W MH						
		GKOWPG15100W27VDDKD	100W	14,800 lm						320W MH						
	GKOWM01 Clear Lens	GKOWM15W27V50KDPO	15W	---	1,750 lm	5000K 4000K*	70	---	120-277V	---	---	Wet Location	100W INC	---	Photocell (Included)	5 Years
		GKOWM17W27V50KDPO	17W		1,950 lm								120W INC			
		GKOWM25W27V50KDPO	25W		2,600 lm								50W MH			
	GKOWM01 Frosted Lens	GKOWM15W27V50KDP0F	15W		1,820 lm								100W INC			
		GKOWM17W27V50KDP0F	17W		2,000 lm								120W INC			
		GKOWM25W27V50KDP0F	25W		2,700 lm								50W MH			



## Dusk To Dawn

	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	GKODDG5	GKODDG545W27V50KSGPO	45W	---	6,200 lm	5000K 4000K*	70	---	120-277V	---	DLC LISTED PREMIUM	Wet Location	100W MH	Mounting* Arm	Photocell (Included)	5 Years
		GKODDG565W27V50KSGPO	65W		8,800 lm								175W MH			
		GKODDG590W27V50KSGPO	90W		12,400 lm								250W MH			

## Post Top Lights

**POWER TUNABLE**  
LV4 LV3 LV2 LV1





**CCT TUNABLE**  
3K 4K 5K

	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	GKOPTG1 POWER TUNABLE CCT TUNABLE	GKOPTG1130W27VDDKD	130W	Power & CCT	16,000 lm	5000K 4000K 3000K	70	---	120-277V	---	---	Wet Location	400W MH	---	Photocell* Motion* Sensor	5 Years
	GKOPTG4 POWER TUNABLE CCT TUNABLE	GKOPTG490W27VDDKDFDAD	90W	Power & CCT	11,070 lm	5000K 4000K 3000K	80	Type III** Type IV Type V	120-277V 277-480V*	---	DLC LISTED PREMIUM Pending	Wet Location	250W MH	---	Photocell	5 Years
		GKOPTG4130W27VDDKDFDAD	130W		15,730 lm	DLC LISTED PREMIUM Pending							400W MH			



# Bollard Lights

**POWER TUNABLE**  
LV4 LV3 LV2 LV1

**CCT TUNABLE**  
3K 4K 5K

	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	GKOBL01  	GKOBL0126W27V50KD	26W	---	3,100lm	5000K 4000K*	70	---	120-277V	---		Wet Location	100W MH	---	Battery* Backup	5 Years
		GKOBL0126W27VDDKD	26W	Power & CCT	3,100lm	5000K 4000K 3000K							100W MH			

# Sports Lights

	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	GKOSLG2	GKOSLG2510W27V50KBB44TR	510W	---	71,000 lm	5000K 4000K* 5700K*	70	4Hx4V	120-277V 347-480V*	---		Wet Location	1,500W MH	Trunnion*	Top Visor (Included) Laser* Aiming Sight	5 Years

# PRODUCT SERIES

## INDOOR

---

LED Panels  
LED Troffers  
Architectural  
High Bays  
Canopy Lights  
Vapor Tight  
Linear Fixtures

## OUTDOOR

---

Area Lights  
Flood Lights  
Roadway Lights  
Sports Lights  
Wall Packs  
Dusk To Dawn  
Bollards  
Post Top

